

SPECIFICATIONS & ATTRILUTES

Applicable to eyeglass of any thickness. Key components are processed by Digital – Controlled machine provided with lightness, flexibility and enhanced mechanical performance, which brings beveled edge more natural.

GRINDING SYSTEM

- Trial edging choice function enables glass and plexigals edged separately, which prolongs their life spans.
- 4 grinding wheels are configured for Glass and Plexiglas
 Edging , Re beveling and Polishing.
- Several choices for V and Flat Edge polishing.
- 4 grinding wheel of auto lens edger made of imported materials actualize, 5 grindeing process, which prevents cracks on the rim of eyeglass, keeps and meets cutomer's requirements to the ulmost

INTELLIGENTIZED UPTURN SYSTEM

 Adopted intelligentized upturn system can automatically Re-edge rims , which shortens edging process.

TEMPLATE SYSTEM

- Adjustable large scale template table can regulate the size of edging.
- Grinding area ranges from 26mm to 110mm
- Adopting rubber for orienting

CONTROL PANEL

- Patent designed on-off secures working process further.
- Function key , pattern selection and template adjustment.
- Indicator light , power supply and alarming system.
- Re grinding functions secures edging process and promises high accuracy.

COMPUTER CONTROLLING SYSTEM

- Controlled by 8-bit microcomputer and handled by single keyboard.
- Employing automatic re grinding function.
- Freely choosing beveled or flat rims.

WORKING ENVIRONMENT

- Temperature : 5 (degree sign) C 40 (degree sign) C
- ♦ Humidity : 20 80 % RH

ELECTRIC SPECIFICATIONS

- Ratad Voltage : AC 220V 240V
- Ratad Frequency : About 350W

GRINDING WHEELS SPECIFICATION

 Grinding wheels for Plexiglas : 	101 x 16 mm
Grinding wheels for glass :	101 x 15 mm
◆ Grinding wheels for V – Molding and Re – Beveling : 100 x 21 mm	
Grinding wheels for Polishing :	100 x 11 mm
DIMENSIONS	
♦ Length x Width x Height : 50	00 x 480 x 420 (mm)
 Working Height : 75 	50 mm
Weight: 60) kg

ACCESSORIES

Matched working table :	1 pc
Operating Instruction :	1 set
♦ Electrical Wire :	1 pc
Specific tools for setting and adjustment :	1 set
♦ Demo Driller :	1 pc
Centering Device :	1 pc

PATTERN MAKING INSTRUMENTS

- Simple for handling and easy for cleaning .
- Low noise and Tiny vibration.
- Elegant , Light and Convenient for moving and setting.
- ♦ Power Supply : 220V , 50HZ , 50W

CENTERING INSTRUMENTS

- Visible Transillumination System.
- Convenient Sliding Plate.
- Checking eyeglass sample accurately.
- Power Supply : 220V, 10W



